

DEALING WITH CRISIS AND TRAUMATIC EVENTS

IN AN EMERGENCY

If a student directly threatens himself or herself or someone else, or otherwise behaves bizarrely, immediate attention is needed. Call:

- University Police at 607-777-2393 or 911 (from an on-campus phone).
- University Counseling Center at 607-777-2772
Call the University Police to reach a counselor if it is after 5 p.m.
- Decker Student Health Services Center at 607-777-2221.
- Employee Assistance Program at 607-777-6655.

WHAT IS A TRAUMATIC EXPERIENCE?

A traumatic experience is an event in which an individual experiences, or witnesses, an actual or threatened serious injury or death. It is normal for people to experience emotional and physical aftershocks or stress reactions following a traumatic event. Sometimes these aftershocks appear immediately after the event. However, sometimes it takes a few hours, days or even weeks before stress reactions appear. An individual's response may include intense fear, helplessness or horror. Depending on the severity of the event, the signs and symptoms of these reactions may last a few days, several weeks or months, or longer. The way an individual copes with crisis depends on his or her own history and prior experiences. Sometimes traumatic events are so painful that professional assistance may be necessary in order to cope with them.

WHAT IS CRISIS INTERVENTION?

Crisis intervention offers immediate, intensive and brief professional assistance to people who have had a traumatic experience. The purpose is to help individuals cope and return to a previous level of physical or emotional functioning without being at risk of endangering themselves or others. This short-term professional support attempts to deal with the immediate crisis or problem. Prompt and focused

interventions help prevent the development of a serious long-term disability. Crisis intervention also encourages the development of new coping skills to help the individual function more effectively.

TYPES OF CRISES

People filter threatening experiences through their own unique ways of thinking and feeling. Depending on the trauma and one's "filter," some people may have less of a reaction while others may develop more severe symptoms. A number of crises may occur that can affect different groups of people, such as students, employees or society as a whole. At one end of the continuum these crises could include a strike, assault, physical injury, accident, death, suicide, robbery, homicide or rape. Other events that affect a broader spectrum of people include fire, natural disasters, riots, terrorism and racial incidents. Crisis intervention offers the immediate help that an individual in crisis needs in order to reestablish equilibrium.

RESOURCES ON CAMPUS

Academic Advising Offices:

EOP, SW-233.....777-2791
Harpur, AB-G18.....777-6305
DSO, AB-114.....777-4954
CCPA, UDC-333.....777-5572
SOE, AB-133.....777-7329
SOM, AA-142.....777-2316
Watson, LSG-552.....777-6203
Graduate, AD-134.....777-2151
Non-Degree, LN-1326A. 777-4866

Center for Learning and Teaching

CIW Library (CIW-110).. 777-6376
www.binghamton.edu/clt

SECONDARY TRAUMA

People at risk for secondary traumatization are those other than the actual victims who are directly affected by the traumatic event. This may include friends, family and acquaintances of the victim, or people who have simply heard about the trauma or crisis. People who help trauma and crisis victims are sometimes at risk for secondary trauma as well. This may be because of consistent exposure to human suffering and possibly feeling responsible for the safety of the victim.

SYMPTOMS AND REACTIONS

People whose normal lives are disturbed by a traumatic event find that their sense of security and safety is shattered. They also find that their responses to life and other people are either greatly exaggerated or no longer exist. The following are some of the symptoms one may encounter:

EMOTIONAL REACTIONS

• Intense emotion and reactivity:

People may feel intense anxiety, pain, fear, shame, grief, horror, anger and shock. They may also have difficulty relaxing or falling asleep.

- **Numbness:** When people are overwhelmed, they may experience shock and protect themselves through detachment, denial and disbelief. They may feel isolated and disconnected from people or even from their own normal feelings.

- **Depression:** People may have difficulty concentrating or remembering. They may also experience diminished interest in everyday activities and have crying spells. A sense of despair and hopelessness may be very evident.

- **Flashbacks:** People often re-experience the traumatic event over and over again. The feeling of not having any control is heightened. They may feel tortured by the invading thoughts and memories.
- **Nightmares:** These are like flashbacks but they occur in dreams. As a result, people may have difficulty sleeping. Re-experiencing the trauma intensifies feelings of panic and helplessness.
- **Triggering events and people:** Often, people will attempt to avoid anything associated with the trauma. However, events that remind them of the trauma may trigger feelings initially triggered by the trauma itself.

POSSIBLE PHYSICAL REACTIONS

- Aches and pains such as headaches, backaches, etc.
- Weakness, dizziness and fatigue most of the time.
- Heart palpitations, profuse sweating and chills.
- Changes in sleep patterns.
- Changes in appetite and digestive problems.
- Being easily startled by noises and/or unexpected touch.
- Increased susceptibility to allergies, colds and illnesses.
- Increased alcohol consumption and/or substance abuse.

RESOURCES ON CAMPUS

Alcohol and Drug Counseling
IN — 777-2081
smartchoices.binghamton.edu

Career Development Center
LS-G-500 — 777-2400
cdc.binghamton.edu

Decker Student Health Services Center
IN — 777-2221
health.binghamton.edu

Discovery Program
CIW Library — 777-5985
discovery.binghamton.edu

Employee Assistance Program
LS-673 — 777-6655
eap.binghamton.edu

English as a Second Language (ESL) Program
LN-2412 — 777-6725
esl.binghamton.edu

Financial Aid
SW-119 — 777-2428
bingfa.binghamton.edu

Off Campus College
UUW-204 — 777-2768
occ.binghamton.edu

International Student and Scholar Services
NAR-G1 — 777-2510
iss.binghamton.edu

Services for Students with Disabilities
UU-119 — 777-2686
ssd.binghamton.edu

University Counseling Center
LN-1202 — 777-2772
counseling.binghamton.edu

Writing Initiative
LN-2412 — 777-6725
binghamton.edu/writing

HOW TO BETTER COPE

- Recognize your own feelings. Also understand that your feelings are a normal reaction to an abnormal situation.
- Talk about the experience. Talk is healing.
- Reach out to friends and family for support. Try to connect with others, especially those who may have shared the same stressful experience. Form a support group.
- Set small realistic goals to help tackle obstacles. Take one day at a time and be kind to yourself.
- Get as much physical activity as possible. Exercise or learn relaxation techniques or meditation in order to relax and feel rejuvenated.
- Structure your time. Schedule breaks for yourself. Redefine your priorities and focus your energy on them.
- Get involved in something that is personally meaningful and important every day.
- Give yourself time to heal.
- Give someone a hug — touching is very important.

HOW TO HELP FAMILY MEMBERS AND FRIENDS COPE

- Listen and empathize. Be supportive and non-judgmental.
- Be flexible with roles and chores.
- Offer and ask for support from family, friends and the campus community.
- Respect a family member's need for privacy and be more tolerant. Give each other space.
- Set priorities and focus your attention on them with other family members.
- Give yourself and your family members time to heal at their own pace. Make healing a family issue.
- Reassure children and the elderly. Reinforce the feeling of safety.
- Validate each other. Show appreciation, give hugs and offer praise.
- Use rituals that can reaffirm family bonds and help the healing process (e.g., leaving flowers at an accident site or organizing a memorial service).
- After some time has elapsed, focus and talk about how each person has changed or grown as a result of the experience

BINGHAMTON
UNIVERSITY
STATE UNIVERSITY OF NEW YORK

University Counseling
Center